



DMC - for Exotic Material · Internal Coolant · 3D 高效能內冷鑽頭 (鈦及不鏽鋼用) · 3 倍深




- 3×D Cutting Depth
- 140° NR Tip
- Double Margin
- New SINIX Smooth Coating
- D tolerance : h8
- Ds tolerance : h6
- Similar DIN6537




Order No.	D	L1	L	Ds	Order No.	D	L1	L	Ds
DMC30390034SX	3.90	24	66	4	DMC30810030SX	8.10	47	89	10
DMC30400030SX	4.00	24	66	6	DMC30820030SX	8.20	47	89	10
DMC30410030SX	4.10	24	66	6	DMC30830030SX	8.30	47	89	10
DMC30420030SX	4.20	24	66	6	DMC30840030SX	8.40	47	89	10
DMC30430030SX	4.30	24	66	6	DMC30850030SX	8.50	47	89	10
DMC30440030SX	4.40	24	66	6	DMC30860030SX	8.60	47	89	10
DMC30450030SX	4.50	24	66	6	DMC30870030SX	8.70	47	89	10
DMC30460030SX	4.60	24	66	6	DMC30880030SX	8.80	47	89	10
DMC30465030SX	4.65	24	66	6	DMC30890030SX	8.90	47	89	10
DMC30470030SX	4.70	24	66	6	DMC30900030SX	9.00	47	89	10
DMC30476030SX	4.76(3/16")	24	66	6	DMC30910030SX	9.10	47	89	10
DMC30480030SX	4.80	28	66	6	DMC30920030SX	9.20	47	89	10
DMC30490030SX	4.90	28	66	6	DMC30925030SX	9.25	47	89	10
DMC30500030SX	5.00	28	66	6	DMC30930030SX	9.30	47	89	10
DMC30510030SX	5.10	28	66	6	DMC30940030SX	9.40	47	89	10
DMC30520030SX	5.20	28	66	6	DMC30950030SX	9.50	47	89	10
DMC30530030SX	5.30	28	66	6	DMC30952030SX	9.52(3/8")	47	89	10
DMC30540030SX	5.40	28	66	6	DMC30960030SX	9.60	47	89	10
DMC30550030SX	5.50	28	66	6	DMC30970030SX	9.70	47	89	10
DMC30556030SX	5.56(7/32")	28	66	6	DMC30980030SX	9.80	47	89	10
DMC30560030SX	5.60	28	66	6	DMC30990030SX	9.90	47	89	10
DMC30570030SX	5.70	28	66	6	DMC31000030SX	10.00	47	89	10
DMC30580030SX	5.80	28	66	6	DMC31020030SX	10.20	55	102	12
DMC30590030SX	5.90	28	66	6	DMC31050030SX	10.50	55	102	12
DMC30600030SX	6.00	28	66	6	DMC31070030SX	10.70	55	102	12
DMC30610030SX	6.10	34	79	8	DMC31100030SX	11.00	55	102	12
DMC30620030SX	6.20	34	79	8	DMC31120030SX	11.20	55	102	12
DMC30630030SX	6.30	34	79	8	DMC31150030SX	11.50	55	102	12
DMC30635030SX	6.35(1/4")	34	79	8	DMC31170030SX	11.70	55	102	12
DMC30640030SX	6.40	34	79	8	DMC31200030SX	12.00	55	102	12
DMC30650030SX	6.50	34	79	8	DMC31250030SX	12.50	60	107	14
DMC30660030SX	6.60	34	79	8	DMC31270030SX	12.70(1/2")	60	107	14
DMC30670030SX	6.70	34	79	8	DMC31300030SX	13.00	60	107	14
DMC30680030SX	6.80	34	79	8	DMC31350030SX	13.50	60	107	14
DMC30690030SX	6.90	34	79	8	DMC31370030SX	13.70	60	107	14
DMC30700030SX	7.00	34	79	8	DMC31400030SX	14.00	60	107	14
DMC30710030SX	7.10	41	79	8	DMC31450030SX	14.50	65	115	16
DMC30714030SX	7.14(9/32")	41	79	8	DMC31470030SX	14.70	65	115	16
DMC30720030SX	7.20	41	79	8	DMC31500030SX	15.00	65	115	16
DMC30730030SX	7.30	41	79	8	DMC31550030SX	15.50	65	115	16
DMC30740030SX	7.40	41	79	8	DMC31570030SX	15.70	65	115	16
DMC30750030SX	7.50	41	79	8	DMC31600030SX	16.00	65	115	16
DMC30760030SX	7.60	41	79	8	DMC31800030SX	18.00	73	123	18
DMC30770030SX	7.70	41	79	8	DMC31900030SX	19.00	79	131	20
DMC30780030SX	7.80	41	79	8	DMC32000030SX	20.00	79	131	20
DMC30790030SX	7.90	41	79	8					
DMC30794030SX	7.94(5/16")	41	79	8					
DMC30800030SX	8.00	41	79	8					

DMC - for Exotic Material · Internal Coolant · 5D 高效能內冷鑽頭 (鈦及不鏽鋼用) · 5 倍深



- 5×D Cutting Depth
- 140° NR Tip
- Double Margin
- New SINIX Smooth Coating
- D tolerance : h8
- Ds tolerance : h6
- Similar DIN6537



Unit:mm


Order No.	D	L1	L	Ds
DMC50340054SX	3.40	28	60	4
DMC50350054SX	3.50	28	60	4
DMC50370054SX	3.70	28	60	4
DMC50380054SX	3.80	36	74	4
DMC50400050SX	4.00	36	74	6
DMC50410050SX	4.10	36	74	6
DMC50420050SX	4.20	36	74	6
DMC50430050SX	4.30	36	74	6
DMC50440050SX	4.40	36	74	6
DMC50450050SX	4.50	36	74	6
DMC50460050SX	4.60	36	74	6
DMC50465050SX	4.65	36	74	6
DMC50470050SX	4.70	36	74	6
DMC50476050SX	4.76(3/16")	36	74	6
DMC50480050SX	4.80	44	82	6
DMC50490050SX	4.90	44	82	6
DMC50500050SX	5.00	44	82	6
DMC50510050SX	5.10	44	82	6
DMC50520050SX	5.20	44	82	6
DMC50530050SX	5.30	44	82	6
DMC50540050SX	5.40	44	82	6
DMC50550050SX	5.50	44	82	6
DMC50555050SX	5.55(7/32")	44	82	6
DMC50560050SX	5.60	44	82	6
DMC50570050SX	5.70	44	82	6
DMC50580050SX	5.80	44	82	6
DMC50590050SX	5.90	44	82	6
DMC50600050SX	6.00	44	82	6
DMC50610050SX	6.10	53	91	8
DMC50620050SX	6.20	53	91	8
DMC50630050SX	6.30	53	91	8
DMC50635050SX	6.35(1/4")	53	91	8
DMC50640050SX	6.40	53	91	8
DMC50650050SX	6.50	53	91	8
DMC50660050SX	6.60	53	91	8
DMC50670050SX	6.70	53	91	8
DMC50680050SX	6.80	53	91	8
DMC50690050SX	6.90	53	91	8
DMC50700050SX	7.00	53	91	8
DMC50710050SX	7.10	53	91	8
DMC50714050SX	7.14(9/32")	53	91	8
DMC50720050SX	7.20	53	91	8
DMC50730050SX	7.30	53	91	8
DMC50740050SX	7.40	53	91	8
DMC50750050SX	7.50	53	91	8
DMC50760050SX	7.60	53	91	8
DMC50770050SX	7.70	53	91	8
DMC50780050SX	7.80	53	91	8

Order No.	D	L1	L	Ds
DMC50790050SX	7.90	53	91	8
DMC50794050SX	7.94(5/16")	53	91	8
DMC50800050SX	8.00	53	91	8
DMC50810050SX	8.10	61	103	10
DMC50820050SX	8.20	61	103	10
DMC50830050SX	8.30	61	103	10
DMC50840050SX	8.40	61	103	10
DMC50850050SX	8.50	61	103	10
DMC50860050SX	8.60	61	103	10
DMC50870050SX	8.70	61	103	10
DMC50880050SX	8.80	61	103	10
DMC50890050SX	8.90	61	103	10
DMC50900050SX	9.00	61	103	10
DMC50910050SX	9.10	61	103	10
DMC50920050SX	9.20	61	103	10
DMC50925050SX	9.25	61	103	10
DMC50930050SX	9.30	61	103	10
DMC50940050SX	9.40	61	103	10
DMC50950050SX	9.50	61	103	10
DMC50952050SX	9.52(3/8")	61	103	10
DMC50960050SX	9.60	61	103	10
DMC50970050SX	9.70	61	103	10
DMC50980050SX	9.80	61	103	10
DMC50990050SX	9.90	61	103	10
DMC51000050SX	10.00	61	103	10
DMC51020050SX	10.20	71	118	12
DMC51050050SX	10.50	71	118	12
DMC51070050SX	10.70	71	118	12
DMC51100050SX	11.00	71	118	12
DMC51120050SX	11.20	71	118	12
DMC51150050SX	11.50	71	118	12
DMC51170050SX	11.70	71	118	12
DMC51200050SX	12.00	71	118	12
DMC51250050SX	12.50	77	124	14
DMC51270050SX	12.70(1/2")	77	124	14
DMC51300050SX	13.00	77	124	14
DMC51350050SX	13.50	77	124	14
DMC51370050SX	13.70	77	124	14
DMC51400050SX	14.00	77	124	14
DMC51450050SX	14.50	83	133	16
DMC51470050SX	14.70	83	133	16
DMC51500050SX	15.00	83	133	16
DMC51550050SX	15.50	83	133	16
DMC51570050SX	15.70	83	133	16
DMC51600050SX	16.00	83	133	16
DMC51800050SX	18.00	93	143	18
DMC51900050SX	19.00	101	153	20
DMC52000050SX	20.00	101	153	20

DMN - for Exotic Material · External Coolant · 3D 高效能外冷鑽頭 (鈦及不鏽鋼用) · 3 倍深



- 3×D Cutting Depth
- 140° NR Tip
- Double Margin
- New SINIX Smooth Coating
- D tolerance : h8
- Ds tolerance : h6
- Similar DIN6537



Order No.	D	L1	L	Ds	Order No.	D	L1	L	Ds
DMN30400030SX	4.00	24	66	6	DMN30820030SX	8.20	47	89	10
DMN30410030SX	4.10	24	66	6	DMN30830030SX	8.30	47	89	10
DMN30420030SX	4.20	24	66	6	DMN30840030SX	8.40	47	89	10
DMN30430030SX	4.30	24	66	6	DMN30850030SX	8.50	47	89	10
DMN30440030SX	4.40	24	66	6	DMN30860030SX	8.60	47	89	10
DMN30450030SX	4.50	24	66	6	DMN30870030SX	8.70	47	89	10
DMN30460030SX	4.60	24	66	6	DMN30880030SX	8.80	47	89	10
DMN30465030SX	4.65	24	66	6	DMN30890030SX	8.90	47	89	10
DMN30470030SX	4.70	24	66	6	DMN30900030SX	9.00	47	89	10
DMN30476030SX	4.76(3/16")	24	66	6	DMN30910030SX	9.10	47	89	10
DMN30480030SX	4.80	28	66	6	DMN30920030SX	9.20	47	89	10
DMN30490030SX	4.90	28	66	6	DMN30925030SX	9.25	47	89	10
DMN30500030SX	5.00	28	66	6	DMN30930030SX	9.30	47	89	10
DMN30510030SX	5.10	28	66	6	DMN30940030SX	9.40	47	89	10
DMN30520030SX	5.20	28	66	6	DMN30950030SX	9.50	47	89	10
DMN30530030SX	5.30	28	66	6	DMN30952030SX	9.52(3/8")	47	89	10
DMN30540030SX	5.40	28	66	6	DMN30960030SX	9.60	47	89	10
DMN30550030SX	5.50	28	66	6	DMN30970030SX	9.70	47	89	10
DMN30556030SX	5.56(7/32")	28	66	6	DMN30980030SX	9.80	47	89	10
DMN30560030SX	5.60	28	66	6	DMN30990030SX	9.90	47	89	10
DMN30570030SX	5.70	28	66	6	DMN31000030SX	10.00	47	89	10
DMN30580030SX	5.80	28	66	6	DMN31020030SX	10.20	55	102	12
DMN30590030SX	5.90	28	66	6	DMN31050030SX	10.50	55	102	12
DMN30600030SX	6.00	28	66	6	DMN31070030SX	10.70	55	102	12
DMN30610030SX	6.10	34	79	8	DMN31100030SX	11.00	55	102	12
DMN30620030SX	6.20	34	79	8	DMN31110030SX	11.10	55	102	12
DMN30630030SX	6.30	34	79	8	DMN31120030SX	11.20	55	102	12
DMN30635030SX	6.35(1/4")	34	79	8	DMN31150030SX	11.50	55	102	12
DMN30640030SX	6.40	34	79	8	DMN31170030SX	11.70	55	102	12
DMN30650030SX	6.50	34	79	8	DMN31190030SX	11.90	55	102	12
DMN30660030SX	6.60	34	79	8	DMN31200030SX	12.00	55	102	12
DMN30670030SX	6.70	34	79	8	DMN31250030SX	12.50	60	107	14
DMN30680030SX	6.80	34	79	8	DMN31270030SX	12.70(1/2)	60	107	14
DMN30690030SX	6.90	34	79	8	DMN31300030SX	13.00	60	107	14
DMN30700030SX	7.00	34	79	8	DMN31400030SX	14.00	60	107	14
DMN30710030SX	7.10	41	79	8	DMN31600030SX	16.00	65	115	16
DMN30714030SX	7.14(9/32")	41	79	8	DMN31800030SX	18.00	73	123	18
DMN30720030SX	7.20	41	79	8					
DMN30730030SX	7.30	41	79	8					
DMN30740030SX	7.40	41	79	8					
DMN30750030SX	7.50	41	79	8					
DMN30760030SX	7.60	41	79	8					
DMN30770030SX	7.70	41	79	8					
DMN30780030SX	7.80	41	79	8					
DMN30790030SX	7.90	41	79	8					
DMN30794030SX	7.94(5/16")	41	79	8					
DMN30800030SX	8.00	41	79	8					
DMN30810030SX	8.10	47	89	10					